

City of Kaukauna
Grease Trap Inspections Summary Report
May 31, 2018

Summary of Site Visits & Correspondence:

Electric City Lanes: On May 24, 2018, we visited with the manager at the newly opened Electric City Lanes. She was unsure as to whether her facility had a grease trap in the kitchen area although it would be odd if the building inspector allowed the facility to open without one. We sent her an introduction letter to the FOG Control Program and asked to schedule a follow-up inspection where we could confirm the existence of a grease trap, document the trap location and set a cleaning schedule.

Cake Anatomy: Back in April we noticed that the showroom at Cake Anatomy was empty and the business may have shut down. A *Villager* article in early May indicated that a water leak in the building had forced the owner to move her displays out of the showroom but, the business was still open.

Reminder Letters to Send:

There are no reminder letters to send in June.

Site Visits:

Papa Murphy's Pizza

**Darboy Joint Sanitary District #1
Grease Trap Inspections Summary Report
May 31, 2018**

Summary of Correspondence and Site Visits

Thai Sushi, Stoneyard, Little Chicago and Red Robin, Walmart, Novo Grande: On May 18, 2018, the grease traps or downstream manholes for all of the above named locations were checked. All the traps or manholes were in good condition.

Uno's and Ban Vanai: On May 18, 2018, we checked the traps at the above named locations and found the traps to be near capacity. We will send letters to the owners requiring that their traps be cleaned in June.

Pizza Ranch/Mac's: On May 18, 2018 we checked the downstream manhole from Pizza Ranch/Mac's and found that the amount of grease accumulating at a low point in the manhole had not changed from our observations in April. We will continue to monitor their trap monthly to make sure there are no issues.

Reminder Letters to Send

Game Day Sports Bar
Mac' Macaroni and Cheese
Papa Johns
Thai Sushi

Site Visits

Festival Foods
Island Sushi
Kidzland 2 Daycare
Marcus Real Sizzle
Pho Saigon
Rice Bowl Cafe

Periodic Grease Trap & Lateral Inspections

Mohnens Family Restaurant

Asian Garden

China Garden

Mac's Macaroni and Cheese

Novo Grande/El Azteca

Pizza Ranch

Red Robin

Walmart, Thai Sushi and Japanese Steakhouse

Kimberly High School

Stoneyard

Unos

Little Chicago

Panda Express

Festival Foods

**Village of Kimberly
Grease Trap Inspections Summary Report
May 31, 2018**

Summary of Site Visits and Correspondence:

Little Caesars: On May 5, 2018, Little Caesars cleaned their grease trap. We still have concerns regarding the facility maintaining their cleaning schedule and will ask the Village to check the downstream manholes to determine if grease is being released and accumulating in the sanitary sewer.

Reminder Letter to Send:

China Gate

Site Visits

Infinity Bar and Grill

Liberty Hall

Mr. Taco

Subway

Sub-Basins Identified for Further Inspection

Downstream of Tanner's Bar and Grill

Downstream of mini-mall containing Dominos and Chocolate and Coffee

Downstream of McDonalds, Liberty Hall and Hilton Garden Inn.

Downstream of Kwik Trip and mini-mall with Floors by Roberts.

Kimberly Ave near Chefo's and Mom and Pop's Bakery

Shopko Mall and Yen's Buffet

Downstream of Marty's Place and Hitters

Downstream of Kimberly Assisted Living

**Village of Little Chute
Grease Trap Inspections Summary Report
May 31, 2018**

Summary of Site Visits & Correspondence

Shelley's Supper Club: On May 30, 2018 we left a message with a person at Shelley's asking that Shelley call us back about her late trap cleaning. To date, we have not heard back.

Reminder Letters to Send:

China Moon
Landreman's
Nestle
Rose Hill

Site Visits

El Jaripeo
Shelley's Supper Club

Village of Combined Locks Grease Trap Inspections Summary Report May 31, 2018

Summary of Site Visits and Correspondence

Ricos Family Restaurant: After numerous attempts to locate Rico at the Combined Locks Restaurant, Kaukauna Restaurant and Kaukauna Bowling alley, we succeeded in getting him to contact us. To which end, he agreed to let us bring in the Combined Locks building inspector to make sure that the grease trap is hooked up properly. We are in the process of scheduling the appointment to do so and anticipate the inspection will take place in early May.

We did contact Speedy Clean regarding the condition of Rico's lateral and they indicated that they were retained to auger approximately 100' of Rico's lateral to remove accumulated grease. Prior to Rico taking over the facility, there was no grease trap, so it is difficult to assess how much grease in the lateral predated Rico's ownership.

Reminder Letters

No reminder letters are required.

Site Visits

Rico's Family Restaurant

Periodic Grease Trap & Lateral Inspections:

As part of the Village's continues maintenance and inspection of the sanitary sewer system, we recommend that the downstream manhole from the following businesses be periodically inspected.

The Lox Club
Rico's Family Restaurant
Kamp's Bar
Mill Town Still and Grill