

**Wastewater Discharge Monitoring Long Report**

**For DNR Use Only**

Facility Name: HEART OF THE VALLEY METRO SEWERAGE DISTRICT  
 Contact Address: 801 Thilmany Rd  
 Kaukauna, WI 54130  
 Facility Contact: Brian Helming, District Director  
 Phone Number: 920-766-5731  
 Reporting Period: 10/01/2020 - 10/31/2020  
 Form Due Date: 11/21/2020  
 Permit Number: 0031232

Date Received:  
 DOC: 456012  
 FIN: 6375  
 FID: 445005220  
 Region: Northeast Region  
 Permit Drafter: Lisa L Lumley  
 Reviewer: Barti Oumarou  
 Office: Oshkosh

	Sample Point	001	701	701	001	701
	Description	Effluent	Influent	Influent	Effluent	Influent
	Parameter	211	211	66	66	457
	Description	Flow Rate	Flow Rate	BOD5, Total	BOD5, Total	Suspended Solids, Total
	Units	MGD	MGD	mg/L	mg/L	mg/L
	Sample Type	CONTINUOUS	CONTINUOUS	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP
	Frequency	DAILY	DAILY	5/WEEK	DAILY	5/WEEK
Sample Results	Day 1	4.369	4.369	263	13	268
	2	4.370	4.370	256	14	128
	3	4.606	4.606	180	13	124
	4	3.297	4.818	255	15	228
	5	3.071	4.760	290	15	304
	6	2.346	4.533	263	12	260
	7	1.899	4.422	295	12	268
	8	1.771	4.424	271	13	260
	9	1.959	4.448	328	10	220
	10	1.584	4.000	286	12	240
	11	1.909	4.326	240	18	240
	12	2.634	5.091	282	14	272
	13	1.957	4.436	301	8	296
	14	2.171	4.496	281	10	280
	15	2.253	4.327	322	13	220
	16	2.121	4.195	404	15	116
	17	3.253	4.151	264	15	140
	18	3.324	4.374	324	21	204
	19	2.137	4.054	286	13	276
	20	2.011	4.445	283	20	256
	21	1.474	4.288	315	16	268
	22	9.761	12.572	171	20	172
	23	9.203	11.633	83	10	16
	24	4.834	7.679	90	8	40
	25	4.709	6.712	179	9	168
	26	3.700	6.212	181	11	176
	27	3.443	5.862	239	14	168
	28	2.881	5.501	243	12	236
	29	2.362	5.128	223	12	168
	30	2.090	5.069	218	10	168
	31	0.953	5.098	231	11	168

	Sample Point	001	701	701	001	701
	Description	Effluent	Influent	Influent	Effluent	Influent
	Parameter	211	211	66	66	457
	Description	Flow Rate	Flow Rate	BOD5, Total	BOD5, Total	Suspended Solids, Total
	Units	MGD	MGD	mg/L	mg/L	mg/L
<b>Summary Values</b>	<b>Monthly Avg</b>	3.175870968	5.303193548	253.129032258	13.193548387	204.774193548
	<b>Daily Max</b>	9.761	12.572	404	21	304
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>	0.953	4	83	8	16
	<b>Week 1 Avg</b>				13.428571429	
	<b>Week 2 Avg</b>				12.142857143	
	<b>Week 3 Avg</b>				16.142857143	
	<b>Week 4 Avg</b>				12	
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>				30	0
	<b>Daily Max</b>					
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>					
	<b>Weekly Avg</b>				45	0
<b>QA/QC Information</b>	<b>LOD</b>					
	<b>LOQ</b>					
	<b>QC Exceedance</b>	N	N	N	N	N
	<b>Lab Certification</b>			445005220	445005220	445005220

	<b>Sample Point</b>	701	701	701	701	701
	<b>Description</b>	Influent	Influent	Influent	Influent	Influent
	<b>Parameter</b>	87	133	147	264	315
	<b>Description</b>	Cadmium, Total Recoverable	Chromium, Total Recoverable	Copper, Total Recoverable	Lead, Total Recoverable	Nickel, Total Recoverable
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
	<b>Sample Type</b>	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP
	<b>Frequency</b>	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>					
	<b>2</b>					
	<b>3</b>					
	<b>4</b>					
	<b>5</b>					
	<b>6</b>	<1.3	14.7	90.3	<5.9	11.2
	<b>7</b>					
	<b>8</b>					
	<b>9</b>					
	<b>10</b>					
	<b>11</b>					
	<b>12</b>					
	<b>13</b>					
	<b>14</b>					
	<b>15</b>					
	<b>16</b>					
	<b>17</b>					
	<b>18</b>					
	<b>19</b>					
	<b>20</b>					
	<b>21</b>					
	<b>22</b>					
	<b>23</b>					
	<b>24</b>					
	<b>25</b>					
	<b>26</b>					
	<b>27</b>					
	<b>28</b>					
	<b>29</b>					
	<b>30</b>					
	<b>31</b>					

	<b>Sample Point</b>	701	701	701	701	701
	<b>Description</b>	Influent	Influent	Influent	Influent	Influent
	<b>Parameter</b>	87	133	147	264	315
	<b>Description</b>	Cadmium, Total Recoverable	Chromium, Total Recoverable	Copper, Total Recoverable	Lead, Total Recoverable	Nickel, Total Recoverable
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
<b>Summary Values</b>	<b>Monthly Avg</b>	0	14.7	90.3	0	11.2
	<b>Daily Max</b>	<1.3	14.7	90.3	<5.9	11.2
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>	<1.3	14.7	90.3	<5.9	11.2
	<b>Week 1 Avg</b>					
	<b>Week 2 Avg</b>					
	<b>Week 3 Avg</b>					
	<b>Week 4 Avg</b>					
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>					
	<b>Daily Max</b>					
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>					
	<b>Weekly Avg</b>					
<b>QA/QC Information</b>	<b>LOD</b>	1.3	2.5	3.4	5.9	2.6
	<b>LOQ</b>	5	10	10	20	10
	<b>QC Exceedance</b>	N	N	N	N	N
	<b>Lab Certification</b>	405132750	405132750	405132750	405132750	405132750

	<b>Sample Point</b>	701	001	001	001	001
	<b>Description</b>	Influent	Effluent	Effluent	Effluent	Effluent
	<b>Parameter</b>	553	377	457	457	1348
	<b>Description</b>	Zinc, Total Recoverable	pH Field	Suspended Solids, Total	Suspended Solids, Total	WQT Credits Used (TSS)
	<b>Units</b>	ug/L	su	mg/L	lbs/day	lbs/month
	<b>Sample Type</b>	24 HR FLOW PROP	GRAB	24 HR FLOW PROP	CALCULATED	CALCULATED
	<b>Frequency</b>	MONTHLY	5/WEEK	5/WEEK	5/WEEK	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>		7.4	19.6	714	0
	<b>2</b>		7.4	13.6	496	0
	<b>3</b>		7.1	12.8	492	0
	<b>4</b>		7.1	14.0	385	0
	<b>5</b>		7.8	18.0	461	0
	<b>6</b>	168	7.3	19.6	383	0
	<b>7</b>		7.0	19.2	304	0
	<b>8</b>		7.7	19.6	289	0
	<b>9</b>		7.0	18.0	294	0
	<b>10</b>		7.4	21.2	280	0
	<b>11</b>		7.4	20	318	0
	<b>12</b>		7.4	21.2	466	0
	<b>13</b>		7.2	17.6	287	0
	<b>14</b>		7.3	19.6	355	0
	<b>15</b>		7.2	21.6	406	0
	<b>16</b>		7.4	23.2	410	0
	<b>17</b>		7.9	18.4	499	0
	<b>18</b>		8.0	25.2	699	0
	<b>19</b>		7.3	23.6	421	0
	<b>20</b>		7.2	27.6	463	0
	<b>21</b>		7.2	22.8	280	0
	<b>22</b>		7.4	24.4	1986	0
	<b>23</b>		7.0	17.2	1320	0
	<b>24</b>		7.2	16.4	661	0
	<b>25</b>		7.3	20.0	785	0
	<b>26</b>		7.5	20.8	642	0
	<b>27</b>		7.5	16.8	482	0
	<b>28</b>		7.3	19.2	461	0
	<b>29</b>		7.4	20.4	402	0
	<b>30</b>		7.9	22.8	397	0
	<b>31</b>		7.2	22.8	181	0

	Sample Point	701	001	001	001	001
	Description	Influent	Effluent	Effluent	Effluent	Effluent
	Parameter	553	377	457	457	1348
	Description	Zinc, Total Recoverable	pH Field	Suspended Solids, Total	Suspended Solids, Total	WQT Credits Used (TSS)
Units	ug/L	su	mg/L	lbs/day	lbs/month	
<b>Summary Values</b>	<b>Monthly Avg</b>	168	7.367741935	19.909677419	516.741935484	0
	<b>Daily Max</b>	168	8	27.6	1986	0
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>	168	7	12.8	181	0
	<b>Week 1 Avg</b>			16.685714286		
	<b>Week 2 Avg</b>			19.6		
	<b>Week 3 Avg</b>			23.2		
	<b>Week 4 Avg</b>			19.257142857		
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>			30	0	
	<b>Daily Max</b>		9	0		
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>		6	0		
	<b>Weekly Avg</b>			45	0	
<b>QA/QC Information</b>	<b>LOD</b>	11.6				
	<b>LOQ</b>	40				
	<b>QC Exceedance</b>	N	N	N	N	N
	<b>Lab Certification</b>	405132750		445005220		

	<b>Sample Point</b>	001	001	001	001	001
	<b>Description</b>	Effluent	Effluent	Effluent	Effluent	Effluent
	<b>Parameter</b>	1347	388	388	789	87
	<b>Description</b>	WQT Computed Compliance (TSS)	Phosphorus, Total	Phosphorus, Total	Nitrogen, Ammonia (NH3-N) Total	Cadmium, Total Recoverable
	<b>Units</b>	lbs/day	mg/L	lbs/day	mg/L	ug/L
	<b>Sample Type</b>	CALCULATED	24 HR FLOW PROP	CALCULATED	24 HR FLOW PROP	24 HR FLOW PROP
	<b>Frequency</b>	5/WEEK	5/WEEK	5/WEEK	5/WEEK	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>	714	0.51	18.58	0.7	
	<b>2</b>	496	0.44	16.04		
	<b>3</b>	492	0.50	19.21		
	<b>4</b>	385	0.44	12.10	1.3	
	<b>5</b>	461	0.36	9.22	1.3	
	<b>6</b>	383	0.42	8.22	0.7	<1.3
	<b>7</b>	304	0.28	4.43	0.7	
	<b>8</b>	289	0.49	7.24	0.5	
	<b>9</b>	294	0.47	7.68		
	<b>10</b>	280	0.55	7.27		
	<b>11</b>	318	0.50	7.96	1.4	
	<b>12</b>	466	0.47	10.32	0.7	
	<b>13</b>	287	0.47	7.67	0.3	
	<b>14</b>	355	0.55	9.96	0.2	
	<b>15</b>	406	0.57	10.71	0.4	
	<b>16</b>	410	0.62	10.97		
	<b>17</b>	499	0.57	15.46		
	<b>18</b>	699	0.49	13.58	2.0	
	<b>19</b>	421	0.57	10.16	0.7	
	<b>20</b>	463	0.68	11.40	1.9	
	<b>21</b>	280	0.50	6.15	0.7	
	<b>22</b>	1986	0.58	47.22	1.6	
	<b>23</b>	1320	0.38	29.17		
	<b>24</b>	661	0.31	12.50		
	<b>25</b>	785	0.42	16.49	0.2	
	<b>26</b>	642	0.31	9.57	0.9	
	<b>27</b>	482	0.39	11.20	0.4	
	<b>28</b>	461	0.44	10.57	0.8	
	<b>29</b>	402	0.36	7.09	0.6	
	<b>30</b>	397	0.43	7.50		
	<b>31</b>	181	0.41	3.26		

	Sample Point	001		001		001		001		001	
	Description	Effluent		Effluent		Effluent		Effluent		Effluent	
	Parameter	1347		388		388		789		87	
	Description	WQT Computed Compliance (TSS)		Phosphorus, Total		Phosphorus, Total		Nitrogen, Ammonia (NH3-N) Total		Cadmium, Total Recoverable	
	Units	lbs/day		mg/L		lbs/day		mg/L		ug/L	
<b>Summary Values</b>	<b>Monthly Avg</b>	516.741935484		0.467096774		12.222580645		0.857142857		0	
	<b>Daily Max</b>	1986		0.68		47.22		2		<1.3	
	<b>Daily Max - Variable</b>										
	<b>Daily Min</b>	181		0.28		3.26		0.2		<1.3	
	<b>Week 1 Avg</b>	462.142857143						0.94			
	<b>Week 2 Avg</b>	327						0.62			
	<b>Week 3 Avg</b>	454						1.14			
	<b>Week 4 Avg</b>	905.285714286						0.78			
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>	801	0	1	0			18	0		
	<b>Daily Max</b>							17	0		
	<b>Daily Max - Variable</b>										
	<b>Daily Min</b>										
	<b>Weekly Avg</b>	1345	0					17	0		
<b>QA/QC Information</b>	<b>LOD</b>			0.026				0.034		1.3	
	<b>LOQ</b>			0.087				0.113		5	
	<b>QC Exceedance</b>	N		N		N		N		N	
	<b>Lab Certification</b>			445005220				445005220		405132750	



	<b>Sample Point</b>	001	001	001	001	001
	<b>Description</b>	Effluent	Effluent	Effluent	Effluent	Effluent
	<b>Parameter</b>	133	147	264	315	553
	<b>Description</b>	Chromium, Total Recoverable	Copper, Total Recoverable	Lead, Total Recoverable	Nickel, Total Recoverable	Zinc, Total Recoverable
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
	<b>Sample Type</b>	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP
	<b>Frequency</b>	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>					
	<b>2</b>					
	<b>3</b>					
	<b>4</b>					
	<b>5</b>					
	<b>6</b>	2.6	8.2	<5.9	8.2	18.3
	<b>7</b>					
	<b>8</b>					
	<b>9</b>					
	<b>10</b>					
	<b>11</b>					
	<b>12</b>					
	<b>13</b>					
	<b>14</b>					
	<b>15</b>					
	<b>16</b>					
	<b>17</b>					
	<b>18</b>					
	<b>19</b>					
	<b>20</b>					
	<b>21</b>					
	<b>22</b>					
	<b>23</b>					
	<b>24</b>					
	<b>25</b>					
	<b>26</b>					
	<b>27</b>					
	<b>28</b>					
	<b>29</b>					
	<b>30</b>					
	<b>31</b>					

	<b>Sample Point</b>	001	001	001	001	001
	<b>Description</b>	Effluent	Effluent	Effluent	Effluent	Effluent
	<b>Parameter</b>	133	147	264	315	553
	<b>Description</b>	Chromium, Total Recoverable	Copper, Total Recoverable	Lead, Total Recoverable	Nickel, Total Recoverable	Zinc, Total Recoverable
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
<b>Summary Values</b>	<b>Monthly Avg</b>	2.6	8.2	0	8.2	18.3
	<b>Daily Max</b>	2.6	8.2	<5.9	8.2	18.3
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>	2.6	8.2	<5.9	8.2	18.3
	<b>Week 1 Avg</b>					
	<b>Week 2 Avg</b>					
	<b>Week 3 Avg</b>					
	<b>Week 4 Avg</b>					
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>					
	<b>Daily Max</b>					
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>					
	<b>Weekly Avg</b>					
<b>QA/QC Information</b>	<b>LOD</b>	2.5	3.4	5.9	2.6	11.6
	<b>LOQ</b>	10	10	20	10	40
	<b>QC Exceedance</b>	N	N	N	N	N
	<b>Lab Certification</b>	405132750	405132750	405132750	405132750	405132750

	<b>Sample Point</b>	101	601	601	601	006
	<b>Description</b>	Effluent Reuse	River Monitoring	River Monitoring	River Monitoring	WLA BOD5 Discharge Compliance
	<b>Parameter</b>	671	400	399	401	544
	<b>Description</b>	Flow Unregulated	WLA Previous Day River Flow	WLA Previous 4 Day Avg River Flow	WLA Previous Day River Temp	WLA BOD5 Value
	<b>Units</b>	MGD	cfs	cfs	degF	lbs/day
	<b>Sample Type</b>	CONTINUOUS	GAUGE STN	CALCULATED	CALCULATED	SEE TABLE
	<b>Frequency</b>	DAILY	DAILY	DAILY	DAILY	DAILY
<b>Sample Results</b>	<b>Day 1</b>	0	5290	5005	61	5568
	<b>2</b>	0	5230	5235	60	5568
	<b>3</b>	0	5250	5310	58	5568
	<b>4</b>	1.521	5220	5283	57	5568
	<b>5</b>	1.689	5360	5248	56	5568
	<b>6</b>	2.187	4560	5265	55	5568
	<b>7</b>	2.523	3970	5098	56	5568
	<b>8</b>	2.653	3930	4778	57	5568
	<b>9</b>	2.489	3920	4455	57	5568
	<b>10</b>	2.416	3380	4095	57	5568
	<b>11</b>	2.417	3220	3800	59	4019
	<b>12</b>	2.457	3390	3613	58	4019
	<b>13</b>	2.479	3840	3543	55	5084
	<b>14</b>	2.325	3840	3543	55	5084
	<b>15</b>	2.074	3840	3543	55	5084
	<b>16</b>	2.074	3940	3698	53	5568
	<b>17</b>	0.898	4030	3835	52	5568
	<b>18</b>	1.050	3850	3900	50	5568
	<b>19</b>	1.917	4200	3915	50	5568
	<b>20</b>	2.434	4900	4005	49	5568
	<b>21</b>	2.814	5460	4245	47	5568
	<b>22</b>	2.811	6430	4603	47	5568
	<b>23</b>	2.430	9530	5248	46	5568
	<b>24</b>	2.845	11200	6580	46	5568
	<b>25</b>	2.003	11100	8155	45	5568
	<b>26</b>	2.512	10900	9565	44	5568
	<b>27</b>	2.419	10800	10683	44	5568
	<b>28</b>	2.620	10900	11000	43	5568
	<b>29</b>	2.766	10200	10925	42	5568
	<b>30</b>	2.979	10000	10700	43	5568
	<b>31</b>	4.145	10200	10475	42	5568

	<b>Sample Point</b>	101	601	601	601	006
	<b>Description</b>	Effluent Reuse	River Monitoring	River Monitoring	River Monitoring	WLA BOD5 Discharge Compliance
	<b>Parameter</b>	671	400	399	401	544
	<b>Description</b>	Flow Unregulated	WLA Previous Day River Flow	WLA Previous 4 Day Avg River Flow	WLA Previous Day River Temp	WLA BOD5 Value
	<b>Units</b>	MGD	cfs	cfs	degF	lbs/day
<b>Summary Values</b>	<b>Monthly Avg</b>	2.127322581	6189.677419355	5785.35483871	51.580645161	5421.225806452
	<b>Daily Max</b>	4.145	11200	11000	61	5568
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>	0	3220	3543	42	4019
	<b>Week 1 Avg</b>					
	<b>Week 2 Avg</b>					
	<b>Week 3 Avg</b>					
	<b>Week 4 Avg</b>					
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>					
	<b>Daily Max</b>					
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>					
	<b>Weekly Avg</b>					
<b>QA/QC Information</b>	<b>LOD</b>					
	<b>LOQ</b>					
	<b>QC Exceedance</b>	N	N	N	N	N
	<b>Lab Certification</b>					

	Sample Point	006	006	006	006	112
	Description	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance	In-Plant Diversion
	Parameter	12	843	543	541	211
	Description	WLA Adjusted Value	WLA BOD5 Discharged	WLA 7 Day Sum Of WLA Values	WLA 7 Day Sum Of BOD5 Discharged	Flow Rate
	Units	lbs/day	lbs/day	lbs/day	lbs/day	MGD
	Sample Type	CALCULATED	CALCULATED	CALCULATED	CALCULATED	CONTINUOUS
	Frequency	DAILY	DAILY	DAILY	DAILY	DAILY
<b>Sample Results</b>	<b>Day 1</b>	7684	481	26469	3001	0
	<b>2</b>	7684	503	28984	3067	0
	<b>3</b>	7684	496	31499	3178	0
	<b>4</b>	7684	412	34014	3085	0
	<b>5</b>	7684	379	36056	3081	0
	<b>6</b>	7684	235	37516	2970	0
	<b>7</b>	7684	184	38976	2689	0
	<b>8</b>	7684	186	38976	2395	0
	<b>9</b>	7684	160	38976	2052	0
	<b>10</b>	7684	159	38976	1715	0
	<b>11</b>	5546	283	37427	1586	0
	<b>12</b>	5546	303	35878	1510	0
	<b>13</b>	7016	239	32756	1457	0
	<b>14</b>	7016	239	32756	1457	0
	<b>15</b>	7016	239	32756	1457	0
	<b>16</b>	7684	269	32756	1565	0
	<b>17</b>	7684	407	32756	1814	0
	<b>18</b>	7684	571	34305	2101	0
	<b>19</b>	7684	230	35854	2028	0
	<b>20</b>	7684	332	37173	2225	0
	<b>21</b>	7684	193	38492	2241	0
	<b>22</b>	7684	1628	38976	3630	0
	<b>23</b>	7684	731	38976	4093	0
	<b>24</b>	7684	325	38976	4010	0
	<b>25</b>	7684	362	38976	3801	0
	<b>26</b>	7684	346	38976	3917	0
	<b>27</b>	7684	388	38976	3972	0
	<b>28</b>	7684	298	38976	4077	0
	<b>29</b>	7684	229	38976	2678	0
	<b>30</b>	7684	176	38976	2122	0
	<b>31</b>	7684	87	38976	1884	0

	Sample Point	006	006	006	006	112
	Description	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance	In-Plant Diversion
	Parameter	12	843	543	541	211
	Description	WLA Adjusted Value	WLA BOD5 Discharged	WLA 7 Day Sum Of WLA Values	WLA 7 Day Sum Of BOD5 Discharged	Flow Rate
	Units	lbs/day	lbs/day	lbs/day	lbs/day	MGD
<b>Summary Values</b>	<b>Monthly Avg</b>	7481.419354839	357.096774194	36229.387096774	2608.322580645	0
	<b>Daily Max</b>	7684	1628	38976	4093	0
	<b>Daily Max - Variable</b>		1628		4093	
	<b>Daily Min</b>	5546	87	26469	1457	0
	<b>Week 1 Avg</b>					
	<b>Week 2 Avg</b>					
	<b>Week 3 Avg</b>					
	<b>Week 4 Avg</b>					
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>					
	<b>Daily Max</b>					
	<b>Daily Max - Variable</b>		0	0	0	0
	<b>Daily Min</b>					
	<b>Weekly Avg</b>					
<b>QA/QC Information</b>	<b>LOD</b>					
	<b>LOQ</b>					
	<b>QC Exceedance</b>	N	N	N	N	N
	<b>Lab Certification</b>					

Footnotes (DNR Use Only; Instructions for completing this form that are unique for your facility may be displayed here.)

General Remarks

Laboratory Quality Control Comments

None

Submitted by K3vin1 on 11/10/2020 7:50:20 AM