


**DISTRICT DIRECTOR:**

Brian M. Helminger



**COMMISSIONERS:**

David J. Casper, President  
Bruce M. Siebers, Vice-Pres.  
Patrick E. Hennessey, Secretary  
Kevin P. Coffey  
John W. Sundelius

**SERVING:**

Combined Locks  
Kaukauna  
Kimberly  
Little Chute  
Darboy S.D.

**Heart of the Valley  
METROPOLITAN SEWERAGE DISTRICT**

801 THILMANY ROAD  
KAUKAUNA, WISCONSIN 54130  
(920) 766-5731 FAX (920) 766-5733  
www.hvmsd.org

**NOTICE OF MEETING & AGENDA**

for the Heart of the Valley Metropolitan Sewerage District  
Regular Meeting to be held on **Tuesday, June 8, 2021** at the City of Kaukauna-Council  
Chambers, 144 W. Second St. Kaukauna, WI 54130

1. **5:00 PM.** Call to Order – Roll Call
2. Public Appearances
3. Approval of the Minutes of the May 11, 2021 Regular Meeting
4. Correspondence to/from/for Commission
5. General Discussion Items:
  - A. Project Updates – Mike Gerbitz of Donohue
    - Disk Filter Project / Disk Filter Equipment Procurement
    - 2021 Antecedent Moisture Model Progress
  - B. Discussion and Possible Action on Ehler’s Long Range Cash Flow and Debt Modeling Analysis Proposal dated 5/20/2021
  - C. Interceptor Action Plan - Monthly Activity Report from Strategic Municipal Services
  - D. FOG Program Update
  - E. DNR Correspondence – PFAS/PFOA
  - F. 2020 Asset Management Report
  - G. Adoption of Resolution #193; 2020 Compliance Maintenance Annual Report

**Plant Reports for May 2021:** - Flows & Revenues Report  
- Operations & Maintenance Update

6. Funds
  - A. June 2021 Accounts Payable – Commission Approval
  - B. Budget Comparison Report
7. Old & New Business
8. Adjournment

Any person who has a qualifying disability as defined by the Americans with Disabilities Act that requires the meeting or materials to be in an accessible location or format must contact the District Director, Brian Helminger, at (920) 766-5731, 801 Thilmany Rd., Kaukauna Wisconsin 54130 at least 24 hours prior to the commencement of the meeting, so that any necessary arrangements can be made to accommodate each request.