

# Wastewater Discharge Monitoring Long Report

# For DNR Use Only

Facility Name: HEART OF THE VALLEY METRO SEWERAGE DISTRICT  
Contact Address: 801 Thilmany Rd  
Kaukauna, WI 54130  
Facility Contact: Brian Helminger, District Director  
Phone Number: 920-766-5731  
Reporting Period: 10/01/2024 - 10/31/2024  
Form Due Date: 11/21/2024  
Permit Number: 0031232

Date Received:	
DOC:	558321
FIN:	6375
FID:	445005220
Region:	Northeast Region
Permit Drafter:	Sarah J Adkins
Reviewer:	Barti Oumarou
Office:	Oshkosh

## Sample Point(s) active?

- Yes - 701 sample point (Influent)
- Yes - 001 sample point (Effluent)
- Yes - 101 sample point (Effluent Reuse)
- Yes - 601 sample point (River Monitoring)
- Yes - 006 sample point (WLA BOD5 Discharge Compliance)
- No - 112 sample point (In-Plant Diversion)

**Wastewater Discharge Monitoring Long Report**

**For DNR Use Only**

Facility Name: HEART OF THE VALLEY METRO SEWERAGE DISTRICT  
 Contact Address: 801 Thilmany Rd  
 Kaukauna, WI 54130  
 Facility Contact: Brian Helming, District Director  
 Phone Number: 920-766-5731  
 Reporting Period: 10/01/2024 - 10/31/2024  
 Form Due Date: 11/21/2024  
 Permit Number: 0031232

Date Received:  
 DOC: 558321  
 FIN: 6375  
 FID: 445005220  
 Region: Northeast Region  
 Permit Drafter: Sarah J Adkins  
 Reviewer: Barti Oumarou  
 Office: Oshkosh

	Sample Point	001	701	701	701	701
	Description	Effluent	Influent	Influent	Influent	Influent
	Parameter	211	211	66	457	87
	Description	Flow Rate	Flow Rate	BOD5, Total	Suspended Solids, Total	Cadmium, Total Recoverable
	Units	MGD	MGD	mg/L	mg/L	ug/L
	Sample Type	CONTINUOUS	CONTINUOUS	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP
	Frequency	DAILY	DAILY	5/WEEK	5/WEEK	MONTHLY
Sample Results	Day 1	5.248	5.248	268	236	
	2	5.345	5.345	248	224	
	3	5.220	5.220	264	196	
	4	5.142	5.142	301	252	
	5	5.233	5.233	288	208	
	6	5.468	5.468	302	252	
	7	5.276	5.276	290	272	<1.3
	8	5.027	5.027	310	256	
	9	5.208	5.208	282	260	
	10	4.467	5.126	294	252	
	11	3.570	5.266	296	220	
	12	4.111	4.966	320	228	
	13	4.729	5.305	342	236	
	14	3.621	5.903	256	288	
	15	2.351	5.525	284	264	
	16	1.880	5.170	269	228	
	17	2.142	5.361	317	252	
	18	2.185	5.421	268	220	
	19	1.819	5.039	258	216	
	20	2.471	5.537	308	248	
	21	1.679	5.189	266	256	
	22	1.913	5.380	303	296	
	23	2.560	5.439	272	236	
	24	2.056	4.903	290	252	
	25	1.364	4.750	294	248	
	26	1.614	4.786	262	216	
	27	2.068	5.042	292	228	
	28	2.336	4.982	261	284	
	29	2.135	4.900	294	304	
	30	2.121	5.312	255	288	
	31	5.883	8.919	122	156	

	Sample Point	001	701	701	701	701
	Description	Effluent	Influent	Influent	Influent	Influent
	Parameter	211	211	66	457	87
	Description	Flow Rate	Flow Rate	BOD5, Total	Suspended Solids, Total	Cadmium, Total Recoverable
	Units	MGD	MGD	mg/L	mg/L	ug/L
<b>Summary Values</b>	<b>Monthly Avg</b>	3.42716129	5.335096774	279.870967742	244.258064516	0
	<b>Daily Max</b>	5.883	8.919	342	304	<1.3
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>	1.364	4.75	122	156	<1.3
	<b>Week 1 Avg</b>					
	<b>Week 2 Avg</b>					
	<b>Week 3 Avg</b>					
	<b>Week 4 Avg</b>					
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>					
	<b>Daily Max</b>					
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>					
	<b>Weekly Avg</b>					
<b>QA/QC Information</b>	<b>LOD</b>					1.3
	<b>LOQ</b>					5
	<b>QC Exceedance</b>	N	N	N	N	N
	<b>Lab Certification</b>			445005220	445005220	405132750

	<b>Sample Point</b>	701	701	701	701	701
	<b>Description</b>	Influent	Influent	Influent	Influent	Influent
	<b>Parameter</b>	133	147	264	315	553
	<b>Description</b>	Chromium, Total Recoverable	Copper, Total Recoverable	Lead, Total Recoverable	Nickel, Total Recoverable	Zinc, Total Recoverable
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
	<b>Sample Type</b>	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP
	<b>Frequency</b>	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>					
	<b>2</b>					
	<b>3</b>					
	<b>4</b>					
	<b>5</b>					
	<b>6</b>					
	<b>7</b>	6.0	82.1	<5.9	16.5	170
	<b>8</b>					
	<b>9</b>					
	<b>10</b>					
	<b>11</b>					
	<b>12</b>					
	<b>13</b>					
	<b>14</b>					
	<b>15</b>					
	<b>16</b>					
	<b>17</b>					
	<b>18</b>					
	<b>19</b>					
	<b>20</b>					
	<b>21</b>					
	<b>22</b>					
	<b>23</b>					
	<b>24</b>					
	<b>25</b>					
	<b>26</b>					
	<b>27</b>					
	<b>28</b>					
	<b>29</b>					
	<b>30</b>					
	<b>31</b>					

	<b>Sample Point</b>	701	701	701	701	701
	<b>Description</b>	Influent	Influent	Influent	Influent	Influent
	<b>Parameter</b>	133	147	264	315	553
	<b>Description</b>	Chromium, Total Recoverable	Copper, Total Recoverable	Lead, Total Recoverable	Nickel, Total Recoverable	Zinc, Total Recoverable
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
<b>Summary Values</b>	<b>Monthly Avg</b>	6	82.1	0	16.5	170
	<b>Daily Max</b>	6	82.1	<5.9	16.5	170
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>	6	82.1	<5.9	16.5	170
	<b>Week 1 Avg</b>					
	<b>Week 2 Avg</b>					
	<b>Week 3 Avg</b>					
	<b>Week 4 Avg</b>					
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>					
	<b>Daily Max</b>					
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>					
	<b>Weekly Avg</b>					
<b>QA/QC Information</b>	<b>LOD</b>	2.5	3.4	5.9	2.6	11.6
	<b>LOQ</b>	10	10	20	10	40
	<b>QC Exceedance</b>	N	N	N	N	N
	<b>Lab Certification</b>	405132750	405132750	405132750	405132750	405132750

	<b>Sample Point</b>	001	001	001	001	001
	<b>Description</b>	Effluent	Effluent	Effluent	Effluent	Effluent
	<b>Parameter</b>	66	377	457	457	1348
	<b>Description</b>	BOD5, Total	pH Field	Suspended Solids, Total	Suspended Solids, Total	WQT Credits Used (TSS)
	<b>Units</b>	mg/L	su	mg/L	lbs/day	lbs/month
	<b>Sample Type</b>	24 HR FLOW PROP	GRAB	24 HR FLOW PROP	CALCULATED	CALCULATED
	<b>Frequency</b>	DAILY	5/WEEK	5/WEEK	5/WEEK	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>	4.1	7.3	8.8	385	0
	<b>2</b>	2.9	7.7	5.2	232	0
	<b>3</b>	7.8	7.2	6.0	261	0
	<b>4</b>	3.2	7.3	4.4	189	0
	<b>5</b>	3.5	7.6	5.2	227	0
	<b>6</b>	4.6	7.8	4.8	219	0
	<b>7</b>	6.1	7.5	6.4	282	0
	<b>8</b>	5.0	7.3	5.2	218	0
	<b>9</b>	5.4	7.5	6.0	261	0
	<b>10</b>	5.4	7.3	6.0	224	0
	<b>11</b>	7.5	7.3	4.4	131	0
	<b>12</b>	8.2	7.4	6.0	206	0
	<b>13</b>	8.6	7.3	7.2	284	0
	<b>14</b>	9.4	7.2	11.6	350	0
	<b>15</b>	9.8	7.1	6.0	118	0
	<b>16</b>	9.8	7.3	8.0	125	0
	<b>17</b>	8.0	7.4	9.2	164	0
	<b>18</b>	7.3	7.2	6.8	124	0
	<b>19</b>	6.8	7.8	7.6	115	0
	<b>20</b>	7.1	7.9	7.6	157	0
	<b>21</b>	6.2	6.9	6.8	95	0
	<b>22</b>	7.5	7.2	8.4	134	0
	<b>23</b>	5.8	7.3	6.4	137	0
	<b>24</b>	4.7	7.6	4.8	82	0
	<b>25</b>	4.5	7.1	7.6	86	0
	<b>26</b>	5.4	7.5	8.4	113	0
	<b>27</b>	5.0	7.7	10.8	186	0
	<b>28</b>	6.3	7.0	12.4	242	0
	<b>29</b>	7.6	7.1	21.3	379	0
	<b>30</b>	8.2	7.2	13.6	241	0
	<b>31</b>	2.0	7.2	8.8	432	0

	Sample Point	001		001		001		001		001	
	Description	Effluent		Effluent		Effluent		Effluent		Effluent	
	Parameter	66		377		457		457		1348	
	Description	BOD5, Total		pH Field		Suspended Solids, Total		Suspended Solids, Total		WQT Credits Used (TSS)	
	Units	mg/L		su		mg/L		lbs/day		lbs/month	
<b>Summary Values</b>	<b>Monthly Avg</b>	6.248387097		7.361290323		7.796774194		206.419354839		0	
	<b>Daily Max</b>	9.8		7.9		21.3		432		0	
	<b>Daily Max - Variable</b>										
	<b>Daily Min</b>	2		6.9		4.4		82		0	
	<b>Week 1 Avg</b>	4.6				5.828571429					
	<b>Week 2 Avg</b>	7.071428571				6.628571429					
	<b>Week 3 Avg</b>	7.857142857				7.428571429					
	<b>Week 4 Avg</b>	5.6				8.4					
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>	30	0			30	0				
	<b>Daily Max</b>			9	0						
	<b>Daily Max - Variable</b>										
	<b>Daily Min</b>			6	0						
	<b>Weekly Avg</b>	45	0			45	0				
<b>QA/QC Information</b>	<b>LOD</b>										
	<b>LOQ</b>										
	<b>QC Exceedance</b>	N		N		N		N		N	
	<b>Lab Certification</b>	445005220				445005220					

	<b>Sample Point</b>	001	001	001	001	001
	<b>Description</b>	Effluent	Effluent	Effluent	Effluent	Effluent
	<b>Parameter</b>	1347	388	388	789	87
	<b>Description</b>	WQT Computed Compliance (TSS)	Phosphorus, Total	Phosphorus, Total	Nitrogen, Ammonia (NH3-N) Total	Cadmium, Total Recoverable
	<b>Units</b>	lbs/day	mg/L	lbs/day	mg/L	ug/L
	<b>Sample Type</b>	CALCULATED	24 HR FLOW PROP	CALCULATED	24 HR FLOW PROP	24 HR FLOW PROP
	<b>Frequency</b>	5/WEEK	5/WEEK	5/WEEK	5/WEEK	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>	385	0.10	4.38	0.8	
	<b>2</b>	232	0.06	2.67	0.2	
	<b>3</b>	261	0.06	2.61	0.6	
	<b>4</b>	189	0.10	4.29		
	<b>5</b>	227	0.09	3.93		
	<b>6</b>	219	0.07	3.19	0.8	
	<b>7</b>	282	0.09	3.96	1.7	<1.3
	<b>8</b>	218	0.08	3.35	0.6	
	<b>9</b>	261	0.08	3.47	0.7	
	<b>10</b>	224	0.11	4.10	0.4	
	<b>11</b>	131	0.09	2.68		
	<b>12</b>	206	0.09	3.09		
	<b>13</b>	284	0.10	3.94	1.3	
	<b>14</b>	350	0.10	3.02	1.2	
	<b>15</b>	118	0.14	2.75	0.6	
	<b>16</b>	125	0.13	2.04	0.8	
	<b>17</b>	164	0.12	2.14	0.7	
	<b>18</b>	124	0.12	2.19		
	<b>19</b>	115	0.10	1.52		
	<b>20</b>	157	0.10	2.06	0.7	
	<b>21</b>	95	0.09	1.26	1.1	
	<b>22</b>	134	0.09	1.44	1.1	
	<b>23</b>	137	0.09	1.92	0.2	
	<b>24</b>	82	0.09	1.54	0.5	
	<b>25</b>	86	0.15	1.71		
	<b>26</b>	113	0.16	2.15		
	<b>27</b>	186	0.15	2.59	0.6	
	<b>28</b>	242	0.21	4.09	0.4	
	<b>29</b>	379	0.39	6.94	0.3	
	<b>30</b>	241	0.49	8.67	0.5	
	<b>31</b>	432	0.32	15.70	0.02	

	<b>Sample Point</b>	001		001		001		001		001	
	<b>Description</b>	Effluent		Effluent		Effluent		Effluent		Effluent	
	<b>Parameter</b>	1347		388		388		789		87	
	<b>Description</b>	WQT Computed Compliance (TSS)		Phosphorus, Total		Phosphorus, Total		Nitrogen, Ammonia (NH3-N) Total		Cadmium, Total Recoverable	
	<b>Units</b>	lbs/day		mg/L		lbs/day		mg/L		ug/L	
<b>Summary Values</b>	<b>Monthly Avg</b>	206.419354839		0.134193548		3.528709677		0.687826087		0	
	<b>Daily Max</b>	432		0.49		15.7		1.7		<1.3	
	<b>Daily Max - Variable</b>										
	<b>Daily Min</b>	82		0.06		1.26		0.02		<1.3	
	<b>Week 1 Avg</b>	256.428571429						0.82			
	<b>Week 2 Avg</b>	239.142857143						0.84			
	<b>Week 3 Avg</b>	128.285714286						0.78			
	<b>Week 4 Avg</b>	140						0.56			
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>	801	0	1	0			18	0		
	<b>Daily Max</b>							17	0		
	<b>Daily Max - Variable</b>										
	<b>Daily Min</b>										
	<b>Weekly Avg</b>	1345	0					17	0		
<b>QA/QC Information</b>	<b>LOD</b>			0.026				0.027		1.3	
	<b>LOQ</b>			0.087				0.09		5	
	<b>QC Exceedance</b>	N		N		N		N		N	
	<b>Lab Certification</b>			445005220				445005220		405132750	

	<b>Sample Point</b>	001	001	001	001	001
	<b>Description</b>	Effluent	Effluent	Effluent	Effluent	Effluent
	<b>Parameter</b>	133	147	264	315	553
	<b>Description</b>	Chromium, Total Recoverable	Copper, Total Recoverable	Lead, Total Recoverable	Nickel, Total Recoverable	Zinc, Total Recoverable
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
	<b>Sample Type</b>	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP	24 HR FLOW PROP
	<b>Frequency</b>	MONTHLY	MONTHLY	MONTHLY	MONTHLY	MONTHLY
<b>Sample Results</b>	<b>Day 1</b>					
	<b>2</b>					
	<b>3</b>					
	<b>4</b>					
	<b>5</b>					
	<b>6</b>					
	<b>7</b>	<2.5	<3.4	<5.9	11.8	21.5
	<b>8</b>					
	<b>9</b>					
	<b>10</b>					
	<b>11</b>					
	<b>12</b>					
	<b>13</b>					
	<b>14</b>					
	<b>15</b>					
	<b>16</b>					
	<b>17</b>					
	<b>18</b>					
	<b>19</b>					
	<b>20</b>					
	<b>21</b>					
	<b>22</b>					
	<b>23</b>					
	<b>24</b>					
	<b>25</b>					
	<b>26</b>					
	<b>27</b>					
	<b>28</b>					
	<b>29</b>					
	<b>30</b>					
	<b>31</b>					

	<b>Sample Point</b>	001	001	001	001	001
	<b>Description</b>	Effluent	Effluent	Effluent	Effluent	Effluent
	<b>Parameter</b>	133	147	264	315	553
	<b>Description</b>	Chromium, Total Recoverable	Copper, Total Recoverable	Lead, Total Recoverable	Nickel, Total Recoverable	Zinc, Total Recoverable
	<b>Units</b>	ug/L	ug/L	ug/L	ug/L	ug/L
<b>Summary Values</b>	<b>Monthly Avg</b>	0	0	0	11.8	21.5
	<b>Daily Max</b>	<2.5	<3.4	<5.9	11.8	21.5
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>	<2.5	<3.4	<5.9	11.8	21.5
	<b>Week 1 Avg</b>					
	<b>Week 2 Avg</b>					
	<b>Week 3 Avg</b>					
	<b>Week 4 Avg</b>					
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>					
	<b>Daily Max</b>					
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>					
	<b>Weekly Avg</b>					
<b>QA/QC Information</b>	<b>LOD</b>	2.5	3.4	5.9	2.6	11.6
	<b>LOQ</b>	10	10	20	10	40
	<b>QC Exceedance</b>	N	N	N	N	N
	<b>Lab Certification</b>	405132750	405132750	405132750	405132750	405132750

	<b>Sample Point</b>	101	601	601	601	006
	<b>Description</b>	Effluent Reuse	River Monitoring	River Monitoring	River Monitoring	WLA BOD5 Discharge Compliance
	<b>Parameter</b>	671	400	399	401	544
	<b>Description</b>	Flow Unregulated	WLA Previous Day River Flow	WLA Previous 4 Day Avg River Flow	WLA Previous Day River Temp	WLA BOD5 Value
	<b>Units</b>	MGD	cfs	cfs	degF	lbs/day
	<b>Sample Type</b>	CONTINUOUS	GAUGE STN	CALCULATED	CALCULATED	SEE TABLE
	<b>Frequency</b>	DAILY	DAILY	DAILY	DAILY	DAILY
<b>Sample Results</b>	<b>Day 1</b>	0	2770	3783	70	2995
	<b>2</b>	0	3040	3563	69	2995
	<b>3</b>	0	2740	3393	67	2662
	<b>4</b>	0	2570	3120	65	2978
	<b>5</b>	0	2650	2780	65	2705
	<b>6</b>	0	2540	2750	65	2392
	<b>7</b>	0	1810	2625	64	2392
	<b>8</b>	0	1490	2393	62	2102
	<b>9</b>	0	1470	2123	61	1868
	<b>10</b>	0.659	1490	1828	60	1944
	<b>11</b>	1.696	1560	1565	60	1657
	<b>12</b>	0.855	1480	1503	61	1657
	<b>13</b>	0.576	1440	1500	61	1396
	<b>14</b>	2.282	1420	1493	59	1396
	<b>15</b>	3.174	1360	1475	57	1683
	<b>16</b>	3.290	1400	1425	54	1683
	<b>17</b>	3.219	1510	1478	53	2186
	<b>18</b>	3.236	1510	1478	53	2186
	<b>19</b>	3.220	1510	1478	53	2186
	<b>20</b>	3.066	1530	1515	54	2048
	<b>21</b>	3.510	1810	1548	55	2048
	<b>22</b>	3.467	2350	1608	57	2048
	<b>23</b>	2.879	2250	1800	58	2048
	<b>24</b>	2.847	2240	1985	57	2445
	<b>25</b>	3.386	2220	2163	56	2864
	<b>26</b>	3.172	2150	2265	55	3130
	<b>27</b>	2.974	2230	2215	54	2864
	<b>28</b>	2.646	2220	2210	53	3510
	<b>29</b>	2.765	2210	2205	52	3510
	<b>30</b>	3.191	2320	2203	54	2864
	<b>31</b>	3.036	3880	2245	57	2864

	<b>Sample Point</b>	101	601	601	601	006
	<b>Description</b>	Effluent Reuse	River Monitoring	River Monitoring	River Monitoring	WLA BOD5 Discharge Compliance
	<b>Parameter</b>	671	400	399	401	544
	<b>Description</b>	Flow Unregulated	WLA Previous Day River Flow	WLA Previous 4 Day Avg River Flow	WLA Previous Day River Temp	WLA BOD5 Value
	<b>Units</b>	MGD	cfs	cfs	degF	lbs/day
<b>Summary Values</b>	<b>Monthly Avg</b>	1.907935484	2037.741935484	2119.838709677	58.741935484	2364.709677419
	<b>Daily Max</b>	3.51	3880	3783	70	3510
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>	0	1360	1425	52	1396
	<b>Week 1 Avg</b>					
	<b>Week 2 Avg</b>					
	<b>Week 3 Avg</b>					
	<b>Week 4 Avg</b>					
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>					
	<b>Daily Max</b>					
	<b>Daily Max - Variable</b>					
	<b>Daily Min</b>					
	<b>Weekly Avg</b>					
<b>QA/QC Information</b>	<b>LOD</b>					
	<b>LOQ</b>					
	<b>QC Exceedance</b>	N	N	N	N	N
	<b>Lab Certification</b>					

	Sample Point	006	006	006	006
	Description	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance
	Parameter	12	843	543	541
	Description	WLA Adjusted Value	WLA BOD5 Discharged	WLA 7 Day Sum Of WLA Values	WLA 7 Day Sum Of BOD5 Discharged
	Units	lbs/day	lbs/day	lbs/day	lbs/day
	Sample Type	CALCULATED	CALCULATED	CALCULATED	CALCULATED
	Frequency	DAILY	DAILY	DAILY	DAILY
<b>Sample Results</b>	<b>Day 1</b>	4133	179	19887	1085
	<b>2</b>	4133	131	20427	1143
	<b>3</b>	3674	155	20328	1232
	<b>4</b>	4110	136	20253	1295
	<b>5</b>	3733	153	19905	1218
	<b>6</b>	3301	211	19512	1175
	<b>7</b>	3301	268	19119	1234
	<b>8</b>	2901	208	18226	1264
	<b>9</b>	2578	235	17099	1367
	<b>10</b>	2683	201	16381	1413
	<b>11</b>	2287	223	15060	1499
	<b>12</b>	2287	280	14012	1626
	<b>13</b>	1926	338	13016	1753
	<b>14</b>	1926	282	12020	1767
	<b>15</b>	2323	191	11601	1750
	<b>16</b>	2323	154	11416	1669
	<b>17</b>	3017	103	12213	1344
	<b>18</b>	3017	103	12213	1344
	<b>19</b>	3017	103	12213	1344
	<b>20</b>	2826	147	12865	1154
	<b>21</b>	2826	87	13517	958
	<b>22</b>	2826	120	13882	887
	<b>23</b>	2826	124	14247	856
	<b>24</b>	3374	81	15009	794
	<b>25</b>	3952	51	15687	712
	<b>26</b>	4319	73	16631	682
	<b>27</b>	3952	86	17447	620
	<b>28</b>	4844	124	18909	657
	<b>29</b>	4844	134	20371	672
	<b>30</b>	3952	145	21187	693
	<b>31</b>	3952	98	21606	711

	Sample Point	006	006	006	006
	Description	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance	WLA BOD5 Discharge Compliance
	Parameter	12	843	543	541
	Description	WLA Adjusted Value	WLA BOD5 Discharged	WLA 7 Day Sum Of WLA Values	WLA 7 Day Sum Of BOD5 Discharged
	Units	lbs/day	lbs/day	lbs/day	lbs/day
<b>Summary Values</b>	<b>Monthly Avg</b>	3263.322580645	158.838709677	16330.935483871	1158.64516129
	<b>Daily Max</b>	4844	338	21606	1767
	<b>Daily Max - Variable</b>		338		1767
	<b>Daily Min</b>	1926	51	11416	620
	<b>Week 1 Avg</b>				
	<b>Week 2 Avg</b>				
	<b>Week 3 Avg</b>				
	<b>Week 4 Avg</b>				
<b>Limit(s) in Effect</b>	<b>Monthly Avg</b>				
	<b>Daily Max</b>				
	<b>Daily Max - Variable</b>		0	0	0
	<b>Daily Min</b>				
	<b>Weekly Avg</b>				
<b>QA/QC Information</b>	<b>LOD</b>				
	<b>LOQ</b>				
	<b>QC Exceedance</b>	N	N	N	N
	<b>Lab Certification</b>				

Footnotes (DNR Use Only; Instructions for completing this form that are unique for your facility may be displayed here.)

General Remarks

Laboratory Quality Control Comments

None

Submitted by mantywwtfsupt2004 on 11/14/2024 9:24:20 AM